

VMware Workstation/Player and Fedora Virtual Machine

Y. Liow

Purpose

The purpose of this document is to show you how to use the VMware Workstation/Player to run a Fedora virtual machine. It is not the purpose to teach you about Fedora or Linux.

Pre-requisites

I assume that you're running a windows machine (winxp, vista, win7, win10, etc.). I also assume that you have about 30 GB of free space. It's also a good idea to have at least 4GB of RAM.

What is a Virtual Machine?

When you turn on your PC/laptop you interact with your computer through an OS (OS = operating system). Your PC/laptop is a real (i.e. physical) machine. Your OS is probably Windows XP/Windows Vista/Windows 7/Windows 10/Windows 11.

From now on I'll say "windows" instead of "Windows XP/Windows Vista/Windows 7/Windows 10/Windows 11".

It's possible to simulate a machine with its own operating system in your PC/laptop. You will need two things:

- A bunch of files describing a machine. This includes basically the harddrive data of an actual physical machine. The OS in this harddrive might be for instance Fedora. This is the virtual machine.
- A software to read the files above and executes the operating system (example: Fedora) through some virtual hardware in your WinXP/Windows Vista/Windows 7.

The software running the files gives you another machine, a virtual machine. It's virtual because it's not running in its own physical computational environment.

So if you like, you can think of a virtual machine as a machine inside a machine. From now on, I might say "vm" instead of "virtual machine".

Your real/physical machine is called a **host machine**. The virtual machine is called a **guest machine**. The **host OS** is the OS of the host machine. The **guest OS** refers to the OS of the guest machine.

That's all you need to know. Remember that there are two things you need: the virtual machine (which is a bunch of files) and software to run the virtual machine.

For us, I will assume that our host OS is windows.

The virtual machine used in this tutorial is a Fedora 31 virtual machine. However everything that I say will apply to other versions of Fedora. From now on, I will say "fvm" instead of "Fedora virtual machine".

The software I'll use to run the fvm is VMware Workstation 15. I will say "workstation" instead of "VMware Workstation 15". (If you laptop is newer, you might want to run VMware Workstation 16 instead.)

The fvm I've built has two users, "student" and "root". The password of "student" is "student" and the root password is "root".

So here's a summary:

Host OS	= winxp/vista/win7/win10/win11
Guest OS	= Fedora
Virtualization	= VMware Workstation 15 (or 16 or 17 ...)

FOR MAC USERS: The VMware Workstation version for Mac is VMware Workstation Fusion. But this is not free. Another option is to use the VirtualBox instead of VMware Workstation. **NEWS: VMware has made VMware Fusion free for Mac users!**

Getting VMware Workstation and the Fedora Virtual Machine

VMware Workstation (previously Player) is free. All you need to do is to google for it, download the installation program, and install the software. Now for the fvm (Fedora virtual machine).


You can download the fvm when you point your browser to our [Software folder](#), go into folder f31 (we have many Fedora virtual machines and the current one we use is Fedora 31), and download the f31.7z file. Save the file (it's a zipped folder). Extract the zipped folder and save it somewhere – make sure you remember the location. This folder contains the virtual machine.

It doesn't matter where you keep your fvm. However it's a good idea to be organized. For instance you might want to create a folder, say “My Virtual Machines”, and put your fvm there. When you install VMware Workstation/Player, it's very likely that a folder “My Virtual Machines” was created under your user folder.


It's a good idea to keep the original two files (the vmware player installation file and the zipped virtual machine folder) somewhere safe (example: backup on an external drive) in case of laptop failure and you need to re-install the player and also recopy the fvm.

Running your fvm: VMware Workstation

Run workstation, go “File > Open”:



and browse to the folder containing the fvm and click on the icon:



(for f40, you'll see f40.vmx) or




1/22/2022 12:05 PM

VMware virtual machine configuration


4 KB

and you'll see this:



Your workstation now remembers your fvm. To run your fvm, either double-click on the f40 in your workstation or select f40 and click on “Play virtual machine”.

If this is the first time you're running a vm that you copied, you will be asked if you copied the virtual machine. Select “I copied it” and click on “OK”. After a while you'll see this:




IMPORTANT NOTE. Note that if you want to send your inputs (keyboard inputs, mouse clicks, etc.) to the virtual machine, you need to first click on any part of the window for the virtual machine **inside** the VMware software. While using the virtual machine, if you want to switch back to sending inputs to your windows machine, you click on any part of your screen **outside** the workstation.

You can also do this: Type Ctrl-G to send inputs to the fvm and Ctrl-Alt to send inputs to your host.


You can tell if your mouse cursor is under the control of the host or the guest: If the cursor is white it is controlled by the host (your windows); if it's black it is controlled by the guest (your fvm).

Logging in and Logging out


I'll assume that the fvm is now running (through the workstation/player). We will now login to the machine as the "student" user. Click on "student" and enter the password "student" (without the quotes):



Press the enter key and you'll see this:



You are now logged in as "student". To log out, within the fvm window click on "System" and click on "Log Out student" (or "Shutdown" to shutdown the virtual machine completely):



You can also close your workstation. In this case, your workstation will ask if you want to suspend or power off your fvm. If you suspend your fvm and you run your fvm again, it will “wake” it up and resume from when you suspended it. In general it’s probably best to save all your work, close all your programs, and then power off.

If you are not logged in, you can shutdown your fvm:




Changing Password

Two things you should do now: you might want to change your student password and you should do a software update.

Run fvm and log in as student. Double-click on the Terminal icon on your desktop



and you'll see the terminal window:



A terminal (also called a terminal shell or a shell and in our case it's a "bash" shell) is a window that allows you to execute commands in your fvm.

In the terminal window type

whoami

(and press the enter key). and the terminal will respond with "student". This tells you that your terminal window is now running as the "student" user. The password of "student" is "student". You might want to change the password, but it's probably not necessary. To do that in, your terminal window type

passwd

and you will be prompted for the new password. Make sure you remember your new password for "student" user.

To change the root password, first you have to become the root or superuser. (Certain commands require you to be the "root" user.) In your terminal window type

su

(su = substitute user). You will be prompted for the root password – enter "root" for the root password. Once that's done, type

whoami

and the terminal will tell you that you are root. Now do

passwd

to change the root password. MAKE SURE YOU REMEMBER YOUR ROOT PASSWORD!!! After the root password is changed, type

exit

and you become “student” again. Go ahead and enter the command

whoami

to verify. Make sure you remember the root and student password.

Software Update and Installation (NEW: see section update-vm)

To update the software installed in your fvm, open a terminal, type su and press the enter key, enter the root password, and then enter this command

```
dnf -y update
```

Your fvm includes the GNU C/C++ compiler, Python, LaTeX, etc. If you want to install other software read on.

To install software, for instance the emacs editor, you do this:

```
dnf -y install emacs
```

You can install two (or more) software in the same command like this:

```
dnf -y install emacs gcc-g++ python
```

This will install both emacs, the GNU C++ compiler and python.

Remember to exit from root (and become student) once you are done installing software.

I'll be using the emacs editor. All CS majors should start with emacs (or something equally powerful as emacs such as vim). If you are not a CS major, a general text editor (like your notepad in windows) you can use is pluma. To install pluma, as root, you execute

```
dnf -y install pluma
```

To remove an installed software, as root, you execute the following in your shell:

```
dnf -y remove pluma
```

However pluma (or other basic text editors) is not as powerful as emacs. You are at a serious disadvantage if you use pluma instead of emacs.

The linux world is full of free linux games. You can google "free fedora games" and practice installing one.

NEW 2024 for f40: update-vm

The following update will more or less synchronize your laptop with mine. Open a terminal, type su and press the enter key, enter the root password, and then enter this command

update-vm

After that, close the bash shell and re-open another bash shell.

To run emacs, use the e macro in your bash shell. For instance

e helloworld.cpp &

Full Screen Modes

When you need more desktop work space you can change to near full screen mode. Play around with your workstation and you should be able to do it without too much trouble.

Backup

Note that your fvm is just a bunch of files. Therefore it's easy to duplicate virtual machines. You just make a copy of the folder that contains your fvm. Before you do this, you should shutdown your fvm completely.

It's a good idea to keep a backup of a fvm that you've configured. If you accidentally damaged a fvm, all you need to do is to delete the fvm, make a copy of the backup, and use the copy.

You might want to backup your fvm regularly, say every weekend.

Changing Screen Resolution, Display, etc.

You can change the themes, background, screensaver, screen resolution, etc if you do "System > Preferences " and then click on "Appearance" or "Display".

Play around and choose what's best for you. In general, eye candy such as windows with rounded corners and shadows and fancy background and screensavers use more CPU time. I always choose the simplest. But this is up to you.

Communication with host and network connectivity

Your fvm should have network connectivity to your host and you should be able to communicate between host and guest, so that you can perform file transfer between your host and guest. Go ahead try the following:

- Do a drag-and-drop of a test file from your windows desktop to the fvm desktop
- Do a drag-and-drop of a test file from your fvm desktop to your windows desktop
- Open a text editor (example: notepad) in windows, type some text, make a copy the text, go to your fvm, open a text editor, and do a paste of the text from windows.
- Open a text editor in your fvm, type some text, make a copy of the text, go to your windows, open a text editor (example: notepad), and do a paste of the text from your fvm.

Furthermore you should be able to browse the internet within your fvm. Go ahead, open your terminal, and execute "firefox".

If you can reach the internet using your firefox browser (example: you cannot go to google.com using the firefox web browser in your fvm), you should read on.

Go back to your windows environment and from the Start menu run "Command Prompt". Depending on whether you're using winxp or win7 and the way you set up your display, it should be one of the following beginning at the Start menu:

- Start > All Programs > Accessories > Command Prompt
- Start > Accessories > Command Prompt

This will give you a console window. In the console window type ipconfig and look for "VMnet8" and then "IP address". For me it's 192.168.135.1 (your numbers might be different from mine):

```
C:\Documents and Settings\yliow>ipconfig

Windows IP Configuration

Ethernet adapter Local Area Connection:

    Media State . . . . . : Media disconnected

Ethernet adapter Wireless Network Connection:

    Media State . . . . . : Media disconnected

Ethernet adapter VMware Network Adapter VMnet1:

    Connection-specific DNS Suffix  . : 
    IP Address. . . . . : 192.168.233.1
    Subnet Mask . . . . . : 255.255.255.0
    Default Gateway . . . . . : 

Ethernet adapter VMware Network Adapter VMnet8:

    Connection-specific DNS Suffix  . : 
    IP Address. . . . . : 192.168.135.1
    Subnet Mask . . . . . : 255.255.255.0
    Default Gateway . . . . . : 

C:\Documents and Settings\yliow>
```


I will be using the "192.168.135" later. (You can also get the information when you do "Edit > Virtual Network Editor" in Workstation or Player.)

Back in your fvm, do "System > Administration > Network" and you'll will be prompted for the root password. Enter the password for root and click on "OK" and you will see the Network Configuration window.

Click on "Edit". (You might want to enter full screen mode to see the whole Ethernet Device window.)

Check "Activate device when computer starts" and in "Primary DNS" enter "192.168.135.2" (the first three

number “192.168.135” was from an earlier step – obviously use your numbers if they are different from mine – and the last number in “192.168.135.2” must be 2) and click on “OK”:



Close the Network Configuration window and you will be prompted to save the changes. Click on “Yes” and then “OK”.

Restart your fvm, log in as student, open a terminal and enter the command

ifconfig

In the output, under “eth0” section, look for “inet addr”. This will be the IP address of your fvm. For instance my IP address is 192.168.135.156. Your IP address is probably a different number.

Now we test if your windows machine can communication with your fvm. Back in your windows environment, at the command prompt type

ping 192.168.135.156

(make sure you use your number) and you'll get some output telling how much time it takes to communicate between your host and the guest.

This tells us that your Windows machine and fvm can communicate.

(This means that you can use any file transfer program such as WinSCP or FileZilla to do file transfer between

your host and your guest. In your host, run WinSCP or FileZilla and enter the IP address of your host for host machine.)

Finally do this test: make sure your windows machine is connected to the internet and open the firefox browser in your fvm by clicking this icon



and go to google.com.

VMware Tools: Drag and Drop between Host and Guest

VMware tools is not part of the Fedora operating system. You don't need it to run Fedora. However it's useful for the following reasons:

1. It allows drag-and-drop between host and guest
2. It allows copy-and-paste between host and guest.

Besides the above, VMware tools also improve mouse response, etc.

You can drag-and-drop files/folders and copy-and-paste files/folders between the host and guest. You can also copy-and-paste text between your host and guest. This is because I've installed the "vmware tools" on the fvm.

There are cases where vmware-tools won't work. This can happen if you upgrade your player or when you perform certain software updates to your fedora vm. You are advised NOT to upgrade your player or reinstall your vmware tools if your drag-and-drop between host and guest works. If your vmware-tools really does not work, read on.

In the Workstation/Player, do "VM > Install VMware Tools ..." (see top menu bar). Notice that a CD/DVD called "VMware Tools" is placed into your virtual CD/DVD drive – you can see it on your Desktop. Execute the following in a terminal window:

```
su
mkdir /tmp/xyz
cp /media/VMware\ Tools/*.gz /tmp/xyz
umount /media/VMware\ Tools
cd /tmp/xyz
gunzip *.gz
tar -xf *.tar
cd vmware-tools-distrib
./vmware-install.pl --default
cd ../..
rm -rf xyz
```

Restart your vm.

Window resizing. You will notice that when you maximize or minimize or change the size of your VMware Workstation window, the fvm desktop will fit itself nicely and fill up the whole player/workstation window. Without VMware Tools, the fvm desktop would stay the same. (For Workstation 7, go to View pull down and you'll see some Autofit options.)

Drag-and-drop. Create a text file helloworld.txt (with "hello world" as content) in your Windows environment and put in on your Windows desktop. Drag-and-drop the text file from your Windows desktop all the way onto your fvm desktop and then from the VM back to your Windows. Without VMware Tools you cannot drag-and-drop between host and guest.

Copy-and-paste text. Open the text file helloworld.txt in fvm (double-click and click on Display). Copy the word "hello" in the document. Now go to your Windows environment, open a document, and do a paste. You will see that the word "hello" is pasted. Without VMware Tools, you cannot copy-and-paste text between host and guest.

Unity mode. Run the terminal in the fvm. In workstation/player, do "View > Unity" or "Virtual Machine > Enter Unity" (see the top menu bar of workstation/player). You will notice that your workstation/player minimizes, and the terminal window that was inside the fvm appears on your Windows environment.

Unity mode is useful because it saves you some computer screen real estate when you need to interact with both Windows and Fedora environment. Just run the Fedora programs you need, enter Unity mode and work with those programs and your Windows programs. This will make it easy for instance to watch email using Outlook Express mail in Windows and write programs in Fedora at the same time.

To stop Unity, just maximize your workstation/player window and click on "Exit Unity".


Upgrade. If you upgrade the version of your VMware workstation/player, you will probably need to upgrade VMware tools. VMware workstation/player will usually remind you: a window at the bottom of the window of the software will pop up and ask you to install VMware Tools. You basically need to go through all the above steps to reinstall VMware Tools.

Accessing External Storage Devices

At the bottom right of your player, you will see something like this:




This is a list of devices your player can access. If you point your mouse cursor to any of the icons, player will show you the name of the device. In particular, in the above picture, the icon that is second from the right is the icon for my external hard drive. (It's also the same icon for your USB jumpdrive.) When I right-click on the external storage icon, I get this:



This gives me the option of connected the storage device to the fvm (and therefore disconnect from my host.) In other word either the host or the guest can access the storage at any time and not both. If I click on “Connect (Disconnect from host)”, an icon for the storage device will appear in your fvm's desktop. You can then access the external storage from from fvm.

When you're done access your external storage device from your fvm, you go to the bottom right of your player, right-click on the external storage icon:



and select “Disconnect (Connect to host)”. Your host will then have access to the external storage.

Shared Folder


You can make your folder in your host “appear” in your fvm so that you can access the host folder inside your fvm. This feature is provided by VMware Tools. (Note that shared folder might not work for all versions of Fedora.)

For me, I actually store all the files is use in fvm in my host (Windows). I have hardly anything stored in my fvm. However you should be aware that reading/writing files through a shared folder will slow down your fvm a bit. But it will definitely make it easy for backups if you want to backup that shared folder.


In the following, I'm going to share my “Documents” folder in Microsoft Windows with my fvm. This means that “Documents” will appear as a directory inside my fvm. Also, if after doing all the steps, you don't see that shared folder, then you'll need to execute a command later (because of the version of your vmware workstation). **So make sure you read this section will the end.**

OK. Let's go.

In your player do Virtual Machine > Virtual Machine Settings to get this:



Click on the “Options” tab and then “Shared Folders”:



and then click on “Add...” to get this:



Click on “Next >”

Add Shared Folder Wizard

Name the Shared Folder
What would you like to call this shared folder?

Host path

Name

Click on “Browse” to select the folder on your host to make it shareable with your fvm and then give it a name.


Add Shared Folder Wizard

Name the Shared Folder
What would you like to call this shared folder?

Host path

Name

Click “Next”, then “Finish” to get this:



Click on “OK”. Reboot your fvm and login. In your fvm click on “Computer”:



then “File System”:



File System

and then click on the “mnt” folder:



mnt

and the click on the “hgfs” folder:



hgfs

and you will see the “host” folder:



host

If you double click on the “host” folder you will then see all the contents of your shared folder. To make it easy to get to this folder, you might want to make a “shortcut” to it and put this “shortcut” on the desktop of the fvm. Here's how to do it:

Open your terminal and type the following command:

```
ln -s /mnt/hgfs/host Desktop/host
```

You will see the following on your Desktop:



When you double click on this icon, you should see all contents of your Documents folder on your host. (This “shortcut” in linux is called a symbolic link or “symlink”.)

This will allow your fvm to read your source programs (C++/Java/Python/etc.) in your host but compile with the compilers in your fvm.

After following all the above steps if you don’t have a shared folder, do the following.

You’ll need to execute the following bash shell commands as root. So in your bash shell login as root by enter “su” and then enter your root password. After that execute these commands in your shell:

```
umount /home/student/shares
rmdir /home/student/shares
mkdir /home/student/shares
/usr/bin/vmhgfs-fuse .host:/ /home/student/shares -o subtype=vmhgfs-fuse,allow_other
ln -s /home/student/shares/host /home/student/host
```

Exit from root by entering “exit” in your shell. You are “student” again. After the above commands the directory “/home/student/host” is actually not a directory but a link to the “Documents” folder in your Microsoft Windows.

Note that you’ll need to execute the above commands every time you login to your fvm. So it’s better to save the commands somewhere. For me, I create a text file named “share.sh” in my home directory and put the above commands into this file. After that I make this file executable by doing

```
[student@localhost ~]$ chmod a+x share.sh
```

After this is done, every time you restart your fvm, you become root (by doing “su”) and then run share.sh by doing

```
[root@localhost ~]$ ./share.sh
```


VMware shared folder features has changed throughout the years. The above extra steps is not necessary before (I think) version 12. The above extra steps has been tested and works for version 14-16.

By the way, it’s possible to get your fvm to auto-execute the above commands when you login to “student”. I’ll leave that as a challenge to you.

FAQ

When I try to play the Fedora VM, I get the “Failed to Lock the File” error. What should I do?

You might see something similar to the following window when this happens:



Try to play the virtual machine a couple of times. If the problem does not go away, go to the folder containing your fedora virtual machine and delete all .lck files and folders.

When I try to play the Fedora VM, I get the error message "This virtual machine appears to be in use. ..." What should I do?

You probably already have a running fvm. If not, go to the folder containing your fedora virtual machine and delete all .lck files and folders.

My virtual machine seems be frozen. When I click on it, the mouse cursor/pointer does not show up.

Like a real machine, you can also turn the power off on your virtual machine. From the top of the vmware player, do Virtual Machine > Power and you'll see some options. You can power it off and then on again. Or you can do a reset to reboot the machine.